SEQUENCE LISTING

```
<110> Staels, Bart
<120> Method for the identification of compounds modulating reverse cholesterol
transport.
<130> 67987.000004
<140> 10/584,304
<141> June 23, 2006
<150> PCT/FR2004/003373
<151> December 23, 2004
<150> FR 0315273
<151> December 23, 2003
<160> 26
<170> PatentIn Ver. 2.1
<210> 1
<211> 13
<212> DNA
<213> Artificial Sequence
<223> LRH-1 response element of the human apo A1 gene promoter.
<400> 1
                                                                     13
ctgatccttg aac
<210> 2
<211> 13
<212> DNA
<213> Artificial Sequence
<220>
<223> Mutated LRH-1 response element of the human apo A1 gene promoter.
<400> 2
ctgattgttg aac
                                                                     13
<210> 3
<211> 65
<212> DNA
<213> Artificial Sequence
<220>
<223> Region B of the human apo A1 gene promoter.
gcagcccccg cagcttgctg tttgcccact ctatttgccc agccccaggg acagagctga 60
tcctt
<210> 4
<211> 87
<212> DNA
<213> Artificial Sequence
<220>
```

```
<223> Region C of the human apo A1 gene promoter.
<400> 4
gaactettaa gttecacatt gecaggaeca gtgageagea acagggeegg ggetgggett 60
atcagcctcc cagcccagac cctggct
<210> 5
·<211> 349
<212> DNA
<213> Artificial Sequence
<220>
<223> Apo AI promotor - j04066 (Apo AI gene) 1819-2167.
<400> 5
gggagacctg caagcctgca gcactcccct cccgccccca ctgaaccctt gacccctgcc 60
ctgcagcccc cgcagcttgc tgtttgccca ctctatttgc ccagccccag ggacagagct 120
gatccttgaa ctcttaagtt ccacattgcc aggaccagtg agcagcaaca gggccggggc 180 tgggcttatc agcctcccag cccagacct ggctgcagac ataaataggc cctgcaagag 240 ctggctgctt agagactgcg agaaggaggt gcgtcctgct gcctgccccg gtcactctgg 300 ctccccagct caaggttcag gccttgccc aggccgggcc tctgggtac 349
<210> 6
<211> 166
<212> DNA
<213> Artificial Sequence
<220>
<223> Tk promotor - M80483 (pBLCAT5) 38-204; J02224 (Herpes
        simplex) 302-462.
<400> 6
tgccccgccc agcgtcttgt cattggcgaa ttcgaacacg cagatgcagt cggggcggcg 60
cggtccaggt ccacttcgca tattaaggtg acgcgtgtgg cctcgaacac cgagcgaccc 120
tgcagcgacc cgcttaacag cgtcaacacg tgccgcagat cacgag
<210> 7
<211> 25
<212> DNA
<213> Artificial Sequence
<220>
<223> Sense sequence of hCyp7a wt.
<400> 7
gatctcttag ttcaaggcca gttag
                                                                                 25
<210> 8
<211> 25
<212> DNA
<213> Artificial Sequence
<220>
<223> Antisense Sequence of hCyp7a wt.
<400> 8
                                                                                 25
gatcctaact ggccttgaac taaga
```

<211> <212> <213>		
<220> <223>	Sense Sequence of hCyp 7 a mut.	
<400> gatcto	9 cttag ttcaattcca gttag	25
.<210> <211> <212> <213>	25	
<220> <223>	Antisense Sequence of hCyp 7a mut.	
<400> gatcct	10 caact ggaattgaac taaga	25
<210> <211> <212> <213>	27	
<220> <223>	Sense sequence of LHRE_ApoA1_h_5.	
<400> gatccg	11 gcagc ccccgcagct tgctgta	27
<210> <211> <212> <213>	27	
<220> <223>	Antisense sequence of LHRE_ApoAI_h_5.	
<400> gatcta	12 cagc aagctgcggg ggctgcg	27
<210> <211> <212> <213>	32	
<220> <223>	Sense sequence of LHRE_ApoA1_h_6.	
<400> gatcct		32
<210><211><211><212>	32	

<220> <223> Antisense sequence of LHRE_ApoAI_h_6.	
<400> 14 gatcttgggg ctgggcaaat agagtgggca ag	32
<210> 15 <211> 29 <212> DNA <213> Artificial Sequence	
<220> <223> Sense sequence of LHRE_ApoAI_h_7.	
<400> 15 gatccgggac agagctgatc cttgaacta	29
<210> 16 <211> 29 <212> DNA <213> Artificial Sequence	
<220> <223> Antisense sequence of LHRE_ApoAI_h_7.	
<400> 16 gatctagttc aaggatcagc tctgtcccg	29
<210> 17 <211> 29 <212> DNA <213> Artificial Sequence	
<pre>'<220> <223> Sense sequence of LHRE_ApoAI_h_8.</pre>	
<400> 17 gatccagctt gctgtttgcc cactctata	29
<210> 18 <211> 29 <212> DNA <213> Artificial Sequence	
<220> <223> Antisense sequence of LHRE_ApoAI_h_8.	
<400> 18 gatctataga gtgggcaaac agcaagctg	29
<210> 19 <211> 40 <212> DNA <213> Artificial Sequence	
<220> <223> Sense sequence used for mutagenesis of ABCmut	:Luc+.
<400> 19	

```
ggacagagct gattgttgaa ctcttaagtt ccacattgcc
                                                                      40
<210> 20
 <211> 38
 <212> DNA
 <213> Artificial Sequence
· <220>
<223> Antisense sequence used for mutagenesis of ABCmutLuc+.
cttaagagtt caacaatcag ctctgtccct ggggctgg
                                                                      38
<210> 21
<211> 27
<212> DNA
<213> Artificial Sequence
<223> Sense sequence of FXRRE_ApoA1_h_1.
<400> 21
cagagctgat ccttgaactc ttaagtt
                                                            27
<210> 22
<211> 27
<212> DNA
<213> Artificial Sequence
<223> Antisense sequence of FXRRE_ApoA1_h_1.
<400> 22
'aacttaagag ttcaaggatc agctctg
                                                           27
<210> 23
<211> 27
<212> DNA
<213> Artificial sequence
<223> Sense sequence of FXRRE_ApoA1_h_1_mut.
<400> 23
cagagctgat ccttgaagtg ttaagtt
                                                           27
<210> 24
<211> 27
<212> DNA
<213> Artificial sequence
<223> Antisense sequence of FXRRE_ApoA1_h_1_mut.
<400> 24
 aacttaacac ttcaaggatc agctctg
                                                           27
```

<210> <211> <212> <213>	29	
<220> <223>	Sense sequence of LRHRE-ApoA1 mut.	
·<400> gatcc	25 gggac agagctgatt gttgaacta	29
<210> <211> <212> <213>	29	
<220> <223>	Antisense sequence of LRHRE-ApoA1 mut.	
<400> gatcta	26 agttc aacaatcagc tctgtcccg	29